

# Sysadmin

The start of a sysadmin namespace template.

Subcategories:

A

- [Applications](#)

B

- [Backups](#)

G

- [Group Policy](#)

H

- [Hardware](#)

L

- [Licensing](#)

N

- [Network](#)

P

- [Policies](#)

S

- [Security Controls](#)
- [Servers](#)
- [Support](#)

## Explanation

### General Documentation suggestions

<https://thepracticalsysadmin.com/how-to-do-internal-documentation/>

### Useful Plugins

### Switches

<https://www.dokuwiki.org/plugin:switchpanel>

<https://www.dokuwiki.org/plugin:edittable>

## Tables

<https://www.dokuwiki.org/plugin:tablewidth>

## ToDo List

<https://www.dokuwiki.org/plugin:todo> (old)

<https://www.dokuwiki.org/plugin:task> (new/modern)

<https://www.dokuwiki.org/plugin:do> (requires <https://www.dokuwiki.org/plugin:sqlite>)

## Templates

Über die Weboberfläche editierbare Templates.

<https://www.dokuwiki.org/plugin:templatepagename>

## Examples

Some examples can be found, a example template in In-House and one example for software under Open Source.

-Applications

-In-House

—Template

-Open Source

—Keepass

-Policies

## Templates

A *"template.txt"* is for current the namespace/category its in and a *%"\_template.txt"%* is for the current namespace/category and every other one below.

If a new Site is created the following template is used:

```
===== @!PAGE@ =====  
Description of this namespace. \\  
<nspages -h1 -subns -exclude -textNS="Subcategories:" -textPages="Pages in  
this subcategory:" -hideNoPages -hideNoSubns>
```

## Lists

List as used above ("Subcategory:" and "Pages in this subcategory:") while hiding if one of this two

points is empty.

```
<nspages -h1 -subns -exclude -textNS="Subcategories:" -textPages="Pages in  
this subcategory:" -hideNoPages -hideNoSubns>
```

From:

<https://www.natrius.eu/dokuwiki/> - **Natrius**

Permanent link:

<https://www.natrius.eu/dokuwiki/doku.php?id=sysadmindoku:start&rev=1493278234>

Last update: **2017/04/27 09:30**

